

CITY OF TRAVERSE CITY BID TABULATION

Project: Two(2)Mini-Loaders w/Attachments Location: 2d fl. cont. room

Date and Time Due: M, 9/28/2015 @ 2⁰⁰ PM Staff: Jillie Dalton
 Staff: Dave Courtad

VENDOR	BID AND/OR EXTRAS	TOTAL
Hammersmith		\$65,900. ⁰⁰
only 1 Bidder		

SPECIFICATION: Two (2) Mini Loaders with Attachments Based on a Wacker Neuson WL32.

MINIMUM REQUIREMENTS: The attached detailed specification shall be construed as minimum. Should manufacturer's current published data or specifications exceed these, such standards shall be considered minimum and furnished. All integral parts not specifically mentioned in the scope of these specifications which are necessary to provide a complete working unit shall be furnished.

SILENCE OF SPECIFICATIONS: The apparent silence of this specification and any supplemental specification as to any details or the omission from it of a detailed description concerning any point shall be regarded as meaning that only the best commercial practices are to prevail and that only material of first quality and correct type, size, and design are to be used. All workmanship is to be first quality. All interpretations of this specification shall be made upon the basis of this statement.

COMPLIANCE: Bidder must complete and return the enclosed bid forms, including bid sheet. Enter "**COMPLY**" in the "**BIDDER PROPOSES TO FURNISH**" column if your equipment meets or exceeds the requested specification. If your equipment does not comply with the requested specification then enter "EXCEPTION" or other information which may pertain. All exceptions must be fully explained in the "bidder proposes to furnish" column or on another sheet of paper. If nothing is written in the column then the City will assume that the bidder will precisely and exactly meet the specifications requested.

THE CITY OF TRAVERSE CITY RESERVES THE RIGHT TO ACCEPT OR REJECT ANY OR ALL BIDS, WAIVE IRREGULARITIES, AND TO ACCEPT THE BIDS EITHER ON AN ENTIRE OR INDIVIDUAL BASIS THAT ARE IN THE BEST INTEREST OF THE CITY OF TRAVERSE CITY.

IN ANY CIRCUMSTANCE DURING OR PRIOR TO DELIVERY OF THE VEHICLE/ EQUIPMENT, WHEREUPON THE CITY OF TRAVERSE CITY (CUSTOMER) BECOMES ELIGIBLE TO RECEIVE A REBATE FOR ANY VEHICLE PURCHASED UNDER THIS BID, IT SHALL BE THE SUCCESSFUL BIDDERS RESPONSIBILITY TO INFORM DAVE COURTAID GARAGE SUPERINTENDENT, OF ITS QUALIFICATION FOR SUCH REBATE AND TO ADVISE THE PROCEDURES FOR OBTAINING SUCH REBATES.

It is the intent of these specifications to describe a Mini Loader specifications based on a Wacker Neuson WL32. There are numerous makes and models of equipment available that will meet or closely meet these criteria. If the specifications requested do not exactly coincide with your equipment you may take exception and bid your equipment. All exceptions must be noted and fully explained on a separate sheet of paper.

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT MR. DAVE COURTAID, AT 231-922-4900, EXT. 111, BEFORE THE BID IS SUBMITTED

BIDDER PROPOSES
TO FURNISH

Year, Make and Model of Equipment being Bid: 2015 - Wacker Neuson WL32

Engine Perkins 404 F-22T.	<u>yes</u>
60 hp at 2,600 rpm.	<u>yes</u>
Water Cooled.	<u>yes</u>
Block Heater.	<u>yes</u>
12 Volt Battery system.	<u>yes</u>
95 Ah Battery.	<u>yes</u>
85 Amp Alternator.	<u>yes</u>
Lifting force 4291.6 lb.	<u>yes</u>
Breakaway force maximum 4291.6 lbf.	<u>yes</u>
Tipping load with bucket/machine straight 4885.4 lb.	<u>yes</u>
4-way (clam) Bucket. <u>Please Note: Bucket width 66"</u>	<u>yes</u>
Traction Drive Hydrostatic with universal joint shaft.	<u>yes</u>
Axles PA940.	<u>yes</u>
Drivers cab with heat/ AC and two side entry, exit doors and left and Right Foldable mirrors.	<u>yes</u>
AM/FM/MP3, with blue tooth if available.	<u>yes</u>
2 Speed gear box with speeds up to 17.4 mph.	<u>yes</u>
Slow speed control kit.	<u>yes</u>
Standard tires 31x15.5-15EM ET-37	<u>yes</u>
Winter Tire, Narrow Tire Kit.	<u>yes</u>

BIDDER PROPOSES
TO FURNISH

Overall length 185.4".	<u>yes</u>
Overall length without bucket 156.9".	<u>yes</u>
Wheelbase 76.1".	<u>yes</u>
Rear overhang 50.3".	<u>yes</u>
Height with Cabin 91.6".	<u>yes</u>
Seat height 52.3"	<u>yes</u>
Total operating height 157.1"	<u>yes</u>
Bucket pivot point max. stroke height 125 "	<u>yes</u>
Overhead loading height 112.6".	<u>yes</u>
Dumping height 94.8".	<u>yes</u>
Scraping depth 1.67".	<u>yes</u>
Overall width 47.1". <i>Note: See Att: Sheet</i>	<u>yes</u>
Radius maximum 137.8".	<u>yes</u>
Track width 36.7".	<u>yes</u>
Ground clearance 9.56".	<u>yes</u>
Radius Maximum 137.8".	<u>yes</u>
Radius at outer edge 123.7".	<u>yes</u>
Inside turning radius 71.3".	<u>yes</u>
Articulation angle 45 deg.	<u>yes</u>
Reverse roll angle at max. stroke height 50 deg.	<u>yes</u>
Tip-out angle 48 max. deg.	<u>yes</u>

BIDDER PROPOSES
TO FURNISH

Reverse roll angle at ground level 39 deg.

yes

Hydraulics:

Driving hydraulics operating pressure 6,527 psi.

yes

Operating hydraulics operating pressure 3,056 psi.

yes

Operating hydraulics discharge capacity 26 US gpm.

yes

Tank capacity 16.9 gals. Fuel.

yes

Hydraulic oil tank 35.96 US qt.

yes

Attachments:

One Snow Blower per machine (totaling two).

yes (EACH)

Note: Blower Width, 48"

BID PAGE

Supply two (2) mini-loaders with attachments.

Price quoted shall include title fee, any documentation fee, and all transportation (delivery) charges fully prepaid to the City Garage, 625 Woodmere Ave. Traverse City, MI 49686

MAKE AND MODEL OF EQUIPMENT BID: Wacker Neuson WL 32
Articulated wheel loader
w/ 4-Way Bucket, 66"
w/ Snow Blower, 48"

COST OF INSTALLED SPECIFIED EQUIPMENT: \$ 65,900.00 (each)

EXPECTED DELIVERY DATE: 30 to 60 Days
(Length of time after receipt of purchase order and Vehicle)

Submitted by:

Dave Opdyke
Signature

Hammersmith Equipment
Company Name

Dave Opdyke - Manager -
Name and Title (Print)

2365 W. South Airport Rd
Company Address

231-946-1100, 231-946-1101
Phone Fax

Traverse city MI. 49684
City, State, Zip

Corporation
Sole proprietorship/partnership/corporation

Michigan
If corporation, state of corporation

Please Note:

Loader width 47.1"

Snow Blower width 48"

Bucket 4 way "clam", width 66"