

If you have ANY questions, or are unclear about what we may be requesting, please contact Dave Courtad at, 231-922-4900, ext. 111. Please ask questions or request clarifications before the bid is submitted.

SPECIFICATION: Sub-compact Tractor-Current model year 2014 or 2015.

Specifications Based on a Kubota BX2670.

BIDDER PROPOSES
TO FURNISH

MAKE AND MODEL OF VEHICLE BID:	<u>2014 KUBOTA BX2670TV</u>
Diesel Engine 25.5 hp min. @ 3200 rpm	<u>comply</u>
PTO hp 19.5 hp min. @ 3200 rpm	<u>comply</u>
Forced Lubrication.	<u>comply</u>
Liquid Cooled, pressurized radiator	<u>comply</u>
Radial Air flow fan.	<u>comply</u>
Ball Type Governor.	<u>comply</u>
Inline fuel injection, self bleeding.	<u>comply</u>
Replaceable fuel filter.	<u>comply</u>
Replaceable Oil filter.	<u>comply</u>
Replaceable Air filter.	<u>comply</u>
Fully enclosed Muffler & Exhaust.	<u>comply</u>
Engine fully enclosed with easy access hood.	<u>comply</u>
Electric activated fuel shut-off and stop mechanism.	<u>comply</u>
Fuel tank Min. 6 Gallons.	<u>comply</u>
Drive train 4 Wheel Drive.	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Fully enclosed power transfer from Rear to front axle.	<u>comply</u>
Hydrostatic Direct Drive with two ranges.	<u>comply</u>
Rear Axle Differential lock.	<u>comply</u>
PTO: Hydraulic Independent Rear: 540 rpm @ 3200 rpm Mid: 2500rpm @ 3200 rpm	<u>comply</u>
Dual Controls with single or Simultaneous Operation.	<u>comply</u>
Hydraulics: Open Center Dual Gear Pumps.	<u>comply</u>
Remote output 6.3gpm.	<u>comply</u>
Hydraulic outlet Block Type.	<u>comply</u>
3-Point Hitch Category 1.	<u>comply</u>
Lift Control Type – Hydraulic Quarter Inching.	<u>comply</u>
Lift Capacity at lift points: 995 lbs.	<u>comply</u>
Lift Capacity 23” behind L.P. 680 lbs.	<u>comply</u>
Steering Hydrostatic Power Steering.	<u>comply</u>
Electric system 12 Volt.	<u>comply</u>
Battery 12 volt 535 CCA.	<u>comply</u>
Alternator 40 amp.	<u>comply</u>
Engine shut off – Electric Key.	<u>comply</u>
CSA approved Block heater.	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Gauges: Fuel, engine temperature, tachometer and Hour meter.	<u>comply</u>
Indicator Lights: Glow plug, Charge, Engine oil pressure.	<u>comply</u>
Two Headlights, fender mounted 4-way Flashers and tail lamps.	<u>comply</u>
Radiator Heavy duty pressurized system, with radial air flow and a suction fan.	<u>comply</u>
Cooling system: Positive water pump.	<u>comply</u>
Safety Equipment:	
Certified foldable two post Roll Over Protection with retractable seat belt.	<u>comply</u>
Safety start switches: Range lever, PTO Levers, Operator presence control.	<u>comply</u>
Parking Brake System.	<u>comply</u>
High Visibility Paint.	<u>comply</u>
Head Lights and tail lights.	<u>comply</u>
Safety flashers with Turn Signals.	<u>comply</u>
Engine Temperature warning gauge.	<u>comply</u>
Dimensions:	
Height to top of ROPS 87.2"	<u>comply</u>
Length w/ 3-point hitch 95.5"	<u>comply</u>
Width 44.5"	<u>comply</u>
Ground Clearance (front axle) 8.7"	<u>comply</u>
Wheelbase 55.1"	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Tread Width: Front 36.6"
Rear 32.3"

comply
comply

Weight 1466 lbs.

comply

Traveling Speed:
Forward: 3.7-8.4 mph.
Reverse: 2.8-6.5 mph.

comply

Tires to be a "TURF TYPE".
Fronts: 18x8.50-10 Turf.
Rears: 26x12.00-12 Turf.

comply

Permanently installed English
Instructions, diagrams and warning
Decals as require by law to ensure
Safe operation and servicing.

comply

Tires to be "loaded" for weight.

comply

Wheel weights installed for
Weight and traction.

comply

LOADER SPECIFICATIONS:

Specifications based on a Kubota LA243A.

Max. Lift height (to bucket pivot pin) 71.3"

comply

Dumping clearance 52.4"

comply

Dumping reach @ max. lift height 28.3"

comply

Max. Dump angle 45 degrees.

comply

Reach with bucket on ground 54.7"

comply

Bucket rollback angle 29 degrees.

comply

Digging depth 4.7"

comply

Overall height in carry pos. 39.0"

comply

BIDDER PROPOSES
TO FURNISH

Bucket width 48"	<u>comply</u>
Lift capacity (500mm fwd, max. height 518 lbs.)	<u>comply</u>
Lift capacity (pivot pin, max. height 745 lbs.)	<u>comply</u>
Breakout force (500mm fwd. 992 lbs.)	<u>comply</u>
Raising time to full height w/o load 3.5 seconds.	<u>comply</u>
Lowering time w/o load 2.7 seconds.	<u>comply</u>
Bucket rollback time 2.4 seconds.	<u>comply</u>
Bucket dumping time 1.7 seconds.	<u>comply</u>
Rated flow 3.7 gpm.	<u>comply</u>
Relief valve 1778 psi.	<u>comply</u>
Lift Cylinder bore diameter 2.56"	<u>comply</u>
Tilt cylinder bore diameter 1.57"	<u>comply</u>
Bucket capacity (struck) 4.9 cu. ft.	<u>comply</u>
Front Implement 4-position Control Valve for quick attach of implements.	<u>comply</u>
Front Loader Quick Attach Kit.	<u>comply</u>
Front Pallet Fork Attachment with 32" pallet forks.	<u>comply</u>

SNOW BLOWER SPECIFICATIONS:

Specifications based on a Kubota Model BX5455HD.

Type: Clockwise rotation.	<u>comply</u>
Overall width 55"	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Overall height without chute 21"	<u>Comply</u>
Overall height with chute 45.25"	<u>comply</u>
Overall length without female hitch 27.5"	<u>Comply</u>
Overall length with female hitch 34.25"	<u>comply</u>
Cutting width 54 5/8"	<u>comply</u>
Cutting height 20"	<u>comply</u>
Frame thickness 12 Gauge.	<u>comply</u>
Side thickness 3/16"	<u>comply</u>
Back impellor housing thickness 12 Gauge.	<u>comply</u>
Contour of impellor housing thickness 12 Gauge.	<u>comply</u>
2 Phase system.	<u>comply</u>
Driveline type Drive system.	<u>comply</u>
Impellor drive gear box reduction.	<u>comply</u>
Auger drive worm gear box ratio 5:1.	<u>comply</u>
Auger diameter 12 3/4".	<u>comply</u>
Auger thickness 12 Gauge.	<u>comply</u>
Auger pitch 15".	<u>comply</u>
Auger bearings, greasable.	<u>comply</u>
Impellor diameter 15 3/4"	<u>comply</u>
Impellor depth 5 5/8"	<u>comply</u>
Impellor shaft greasable.	<u>comply</u>
Impellor has 4 blades.	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Chute position left.	<u>comply</u>
Hydraulic operated chute rotation.	<u>comply</u>
“Electric” chute deflection.	<u>comply</u>
Adjustable skid shoes.	<u>comply</u>
Replaceable/reversible cutting edge.	<u>comply</u>
Cutting edge angle 3 degrees.	<u>comply</u>
2 Shear bolts on auger.	<u>comply</u>
1 Shear bolt on impellor.	<u>comply</u>
Heavy duty Type A Quick Hitch system.	<u>comply</u>
Quick Hitch sub-frame.	<u>comply</u>
MID PTO driveline kit (as required for operation).	<u>comply</u>
54” Side discharge 3-Blade Finishing Mower deck.	<u>comply</u>
47” Rotary Sweeper with Manual angle.	<u>comply</u>
60” Snow/Utility Blade.	<u>comply</u>
CAB SYSTEM:	
Specifications based on a Curtis “Hard Sided” Cab.	
Hard sides (all four).	<u>comply</u>
12 volt wiper front.	<u>comply</u>
12 volt wiper rear.	<u>comply</u>
Molded Windshield with pop open vent.	<u>comply</u>
Pin hinged doors for ease of removal.	<u>comply</u>

BIDDER PROPOSES
TO FURNISH

Sliding windows in doors.

comply

Tuck-away hot water Heater 20,000 BTU.

comply

Overhead console with AM/FM-CD player.

comply

Front and Rear Work Lights.

comply

Amber Strobe Light.

comply

Bidder - Please complete and return

BID SUMMARY

TITLE: SUBCOMPACT TRACTOR AND IMPLEMENTS

DUE DATE: TUESDAY, DECEMBER 23, 2014 AT 10 AM

Having carefully examined the attached specifications and any other applicable information, the undersigned proposes to furnish all items necessary for and reasonably incidental to the proper completion of this bid. Bidder submits this bid and agrees to meet or exceed all requirements and specifications unless otherwise indicated in writing and attached hereto.

Bidder certifies that as of the date of this bid the Company or he/she is not in arrears to the City of Traverse City for debt or contract and is in no way a defaulter as provided in Section 152, Chapter XVI of the Charter of the City of Traverse City.

Bidder understands and agrees, if selected as the successful Bidder, to accept a Purchase Order / Service Order / Contract and to provide proof of the required insurance.

The Bidder shall comply with all applicable federal, state, local and building codes, laws, rules and regulations and obtain any required permits for this work.

The Bidder certifies that it is in compliance with the City's Nondiscrimination Policy as set forth in Administrative Order No. 47 and Chapter 605 of the City's Codified Ordinances.

The Bidder certifies that none of the following circumstances have occurred with respect to the Bidder, an officer of the Bidder, or an owner of a 25% or more share in the Bidder's business, within 3 years prior to the bid:

- (a) conviction of a criminal offense incident to the application for or performance of a contract;
- (b) conviction of embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, or any other offense which currently, seriously and directly reflects on the Bidder's business integrity;
- (c) conviction under state or federal antitrust statutes;
- (d) attempting to influence a public employee to breach ethical conduct standards; or
- (e) conviction of a criminal offense or other violation of other state, local, or federal law, as determined by a court of competent jurisdiction or an administrative proceeding, which in the opinion of the City indicates that the bidder is unable to perform responsibility or which reflects a lack of integrity that could negatively impact or reflect upon the City of Traverse City, including but not limited to, any of the following offenses or violations of:

- i. The Natural Resources and Environmental Protection Act.
- ii. A persistent and knowing violation of the Michigan Consumer Protection Act.
- iii. Willful or persistent violations of the Michigan Occupational Health and Safety Act.
- iv. A violation of federal, local, or state civil rights, equal rights, or non-discrimination laws, rules, or regulations.
- v. Repeated or flagrant violations of laws related to the payment of wages and fringe benefits.

(f) the loss of a license or the right to do business or practice a profession, the loss or suspension of which indicates dishonesty, a lack of integrity, or a failure or refusal to perform in accordance with the ethical standards of the business or profession in question.

Bidder understands that the City reserves the right to accept any or all bids in whole or part and to waive irregularities in any bid in the best interest of the City. The bid will be evaluated and awarded on the basis of the best value to the City. The criteria used by the City may include, but will not be limited to: ability, qualifications, timeframe, experience, price, type and amount of equipment, accessories, options, insurance, permits, licenses, other pertinent factors and overall capability to meet the needs of the City. The City is sales tax exempt – Government.

Bidder agrees that the bid may not be withdrawn for a period of sixty (60) days from the actual date of the opening of the bid.

Pre-delivery Inspection: Successful bidder shall make a complete inspection of vehicle (and/or equipment) to ensure it meets specifications and perform any pre-delivery service(s) required before the vehicle is delivered. Acceptance shall be subject to complete inspection and approval of the City.

MAKE AND MODEL OF VEHICLE BID: 2014 Kubota BX2670TV

TOTAL COST OF VEHICLE AND IMPLEMENTS: \$ 27999⁰⁰

Submitted by:

John Hinkle

Signature

JOHN HINKLE - MANAGER

Name and Title (Print)

231-267-5400 231-267-5477

Phone

Fax

GINOP SALES INC

Company Name

9040 M-72 EAST

Company Address

Williamsburg, Mi. 49690

City,

State,

Zip

CORPORATION

Sole proprietorship/partnership/corporation

MICHIGAN

If corporation, state of corporation



JOHN HINKLE

Kubota

**GINOP
SALES
Inc.**

WOODS
World Equipment Company

11274 W. M-68
ALANSON, MI 49706
(231) 548-2272
FAX (231) 548-2278
1-800-344-4667

9040 E. M-72
WILLIAMSBURG, MI 49690
(231) 267-5400
FAX (231) 267-5477
1-800-304-4667

20831 W. M-32
HILLMAN, MI 49746
(989) 742-7500
FAX (989) 742-7419
1-877-334-4667

HOURS: 8:00 - 5:00 MON. - FRI. 8:00 - 12:00 SAT.
www.ginopsales.com

BX

KUBOTA DIESEL BX1870/BX2370 BX2670/BX25D

Improved comfort and operability make the new sub-compact BX70 Series the best choice for all your jobs around the house and garden.



If you have ANY questions, or are unclear about what we may be requesting, please contact Dave Courtad at, 231-922-4900, ext. 111. Please ask questions or request clarifications before the bid is submitted.

SPECIFICATION: Sub-compact Tractor-Current model year 2014 or 2015.

Specifications Based on a Kubota BX2670.

	BIDDER PROPOSES TO FURNISH
MAKE AND MODEL OF VEHICLE BID:	<u>John Deere 1025R</u>
Diesel Engine 25.5 hp min. @ 3200 rpm	<u>24.2</u>
PTO hp 19.5 hp min. @ 3200 rpm	<u>18.0</u>
Forced Lubrication.	<u>Comply</u>
Liquid Cooled, pressurized radiator	<u>Comply</u>
Radial Air flow fan.	<u>Comply</u>
Ball Type Governor.	<u>Comply</u>
Inline fuel injection, self bleeding.	<u>Comply</u>
Replaceable fuel filter.	<u>Comply</u>
Replaceable Oil filter.	<u>Comply</u>
Replaceable Air filter.	<u>Comply</u>
Fully enclosed Muffler & Exhaust.	<u>Comply</u>
Engine fully enclosed with easy access hood.	<u>Comply</u>
Electric activated fuel shut-off and stop mechanism.	<u>Comply</u>
Fuel tank Min. 6 Gallons.	<u>5.6</u>
Drive train 4 Wheel Drive.	<u>Comply</u>

BIDDER PROPOSES
TO FURNISH

Fully enclosed power transfer from
Rear to front axle.

Comply

Hydrostatic Direct Drive with two ranges.

Comply

Rear Axle Differential lock.

Comply

PTO: Hydraulic Independent
Rear: 540 rpm @ 3200 rpm
Mid: 2500rpm @ 3200 rpm

Comply

Dual Controls with single or
Simultaneous Operation.

Comply

Hydraulics:
Open Center Dual Gear Pumps.

Comply

Remote output 6.3gpm.

Comply

Hydraulic outlet Block Type.

Comply

3-Point Hitch Category 1.

Comply

Lift Control Type – Hydraulic Quarter Inching.

Comply

Lift Capacity at lift points: 995 lbs.

N/A

Lift Capacity 23" behind L.P. 680 lbs.

Comply

Steering Hydrostatic Power Steering.

Comply

Electric system 12 Volt.

Comply

Battery 12 volt 535 CCA.

500

Alternator 40 amp.

Comply

Engine shut off – Electric Key.

Comply

CSA approved Block heater.

Comply

BIDDER PROPOSES
TO FURNISH

Gauges: Fuel, engine temperature,
tachometer and Hour meter.

Comply

Indicator Lights: Glow plug, Charge,
Engine oil pressure.

Comply

Two Headlights, fender mounted 4-way
Flashers and tail lamps.

Comply

Radiator Heavy duty pressurized system,
with radial air flow and a suction fan.

Comply

Cooling system: Positive water pump.

Comply

Safety Equipment:

Certified foldable two post Roll Over
Protection with retractable seat belt.

Comply

Safety start switches: Range lever,
PTO Levers, Operator presence control.

Comply

Parking Brake System.

Comply

High Visibility Paint.

Comply

Head Lights and tail lights.

Comply

Safety flashers with Turn Signals.

Comply

Engine Temperature warning gauge.

Comply

Dimensions:

Height to top of ROPS 87.2"

85

Length w/ 3-point hitch 95.5"

Comply

Width 44.5"

Comply

Ground Clearance (front axle) 8.7"

~~8.7~~ 7.7

Wheelbase 55.1"

Comply

BIDDER PROPOSES
TO FURNISH

Tread Width: Front 36.6"
Rear 32.3"

Comply
Comply
1444

Weight 1466 lbs.

Traveling Speed:
Forward: 3.7-8.4 mph.
Reverse: 2.8-6.5 mph.

Comply

Tires to be a "TURF TYPE".
Fronts: 18x8.50-10 Turf.
Rears: 26x12.00-12 Turf.

Comply

Permanently installed English
Instructions, diagrams and warning
Decals as require by law to ensure
Safe operation and servicing.

Comply

Tires to be "loaded" for weight.

Comply

Wheel weights installed for
Weight and traction.

Comply

LOADER SPECIFICATIONS:

Specifications based on a Kubota LA243A.

Max. Lift height (to bucket pivot pin) 71.3"

Comply

Dumping clearance 52.4"

Comply

Dumping reach @ max. lift height 28.3"

22.5

Max. Dump angle 45 degrees.

40.1

Reach with bucket on ground 54.7"

46.3

Bucket rollback angle 29 degrees.

Comply

Digging depth 4.7"

4.0

Overall height in carry pos. 39.0"

N/A

BIDDER PROPOSES
TO FURNISH

Bucket width 48"

Comply

Lift capacity (500mm fwd, max. height 518 lbs.)

Comply

Lift capacity (pivot pin, max. height 745 lbs.)

Comply

Breakout force (500mm fwd. 992 lbs.)

Comply

Raising time to full height w/o load 3.5 seconds.

4.0

Lowering time w/o load 2.7 seconds.

Comply

Bucket rollback time 2.4 seconds.

3.5

Bucket dumping time 1.7 seconds.

2.2

Rated flow 3.7 gpm.

3.5

Relief valve 1778 psi.

Comply

Lift Cylinder bore diameter 2.56"

N/A

Tilt cylinder bore diameter 1.57"

N/A

Bucket capacity (struck) 4.9 cu. ft.

Comply

Front Implement 4-position Control Valve for quick attach of implements.

Comply

Front Loader Quick Attach Kit.

Comply

Front Pallet Fork Attachment with 32" pallet forks.

Comply

SNOW BLOWER SPECIFICATIONS:

Specifications based on a Kubota Model BX5455HD.

Type: Clockwise rotation.

Comply

Overall width 55"

~~55~~ Comply

BIDDER PROPOSES
TO FURNISH

Overall height without chute 21"	<u>20</u>
Overall height with chute 45.25"	<u>42.5</u>
Overall length without female hitch 27.5"	<u>27</u>
Overall length with female hitch 34.25"	<u>Comply</u>
Cutting width 54 5/8"	<u>Comply</u>
Cutting height 20"	<u>Comply</u>
Frame thickness 12 Gauge.	<u>Comply</u>
Side thickness 3/16"	<u>Comply</u>
Back impellor housing thickness 12 Gauge.	<u>Comply</u>
Contour of impellor housing thickness 12 Gauge.	<u>Comply</u>
2 Phase system.	<u>Comply</u>
Driveline type Drive system.	<u>Comply</u>
Impellor drive gear box reduction.	<u>Comply</u>
Auger drive worm gear box ratio 5:1.	<u>Comply</u>
Auger diameter 12 3/4"	<u>Comply</u>
Auger thickness 12 Gauge.	<u>Comply</u>
Auger pitch 15"	<u>Comply</u>
Auger bearings, greasable.	<u>Comply</u>
Impellor diameter 15 3/4"	<u>15</u>
Impellor depth 5 5/8"	<u>Comply</u>
Impellor shaft greasable.	<u>Comply</u>
Impellor has 4 blades.	<u>Comply</u>

BIDDER PROPOSES
TO FURNISH

Chute position left.	<u>Comply</u>
Hydraulic operated chute rotation.	<u>Comply</u>
“Electric” chute deflection.	<u>Manual</u>
Adjustable skid shoes.	<u>Comply</u>
Replaceable/reversible cutting edge.	<u>Comply</u>
Cutting edge angle 3 degrees.	<u>Comply</u>
2 Shear bolts on auger.	<u>Comply</u>
1 Shear bolt on impellor.	<u>Comply</u>
Heavy duty Type A Quick Hitch system.	<u>Comply</u>
Quick Hitch sub-frame.	<u>Comply</u>
MID PTO driveline kit (as required for operation).	<u>Comply</u>
54” Side discharge 3-Blade Finishing Mower deck.	<u>Comply</u>
47” Rotary Sweeper with Manual angle.	<u>Comply</u>
60” Snow/Utility Blade.	<u>54</u>

CAB SYSTEM:

Specifications based on a Curtis “Hard Sided” Cab.

Hard sides (all four).	<u>Comply</u>
12 volt wiper front.	<u>Comply</u>
12 volt wiper rear.	<u>Comply</u>
Molded Windshield with pop open vent.	<u>Comply</u>
Pin hinged doors for ease of removal.	<u>Comply</u>

BIDDER PROPOSES
TO FURNISH

Sliding windows in doors.

Comply

Tuck-away hot water Heater 20,000 BTU.

Comply

Overhead console with AM/FM-CD player.

Comply

Front and Rear Work Lights.

Comply

Amber Strobe Light.

Comply

Bidder - Please complete and return

BID SUMMARY

TITLE: SUBCOMPACT TRACTOR AND IMPLEMENTS

DUE DATE: TUESDAY, DECEMBER 23, 2014 AT 10 AM

Having carefully examined the attached specifications and any other applicable information, the undersigned proposes to furnish all items necessary for and reasonably incidental to the proper completion of this bid. Bidder submits this bid and agrees to meet or exceed all requirements and specifications unless otherwise indicated in writing and attached hereto.

Bidder certifies that as of the date of this bid the Company or he/she is not in arrears to the City of Traverse City for debt or contract and is in no way a defaulter as provided in Section 152, Chapter XVI of the Charter of the City of Traverse City.

Bidder understands and agrees, if selected as the successful Bidder, to accept a Purchase Order / Service Order / Contract and to provide proof of the required insurance.

The Bidder shall comply with all applicable federal, state, local and building codes, laws, rules and regulations and obtain any required permits for this work.

The Bidder certifies that it is in compliance with the City's Nondiscrimination Policy as set forth in Administrative Order No. 47 and Chapter 605 of the City's Codified Ordinances.

The Bidder certifies that none of the following circumstances have occurred with respect to the Bidder, an officer of the Bidder, or an owner of a 25% or more share in the Bidder's business, within 3 years prior to the bid:

- (a) conviction of a criminal offense incident to the application for or performance of a contract;
- (b) conviction of embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, or any other offense which currently, seriously and directly reflects on the Bidder's business integrity;
- (c) conviction under state or federal antitrust statutes;
- (d) attempting to influence a public employee to breach ethical conduct standards; or
- (e) conviction of a criminal offense or other violation of other state, local, or federal law, as determined by a court of competent jurisdiction or an administrative proceeding, which in the opinion of the City indicates that the bidder is unable to perform responsibility or which reflects a lack of integrity that could negatively impact or reflect upon the City of Traverse City, including but not limited to, any of the following offenses or violations of:

- i. The Natural Resources and Environmental Protection Act.
- ii. A persistent and knowing violation of the Michigan Consumer Protection Act.
- iii. Willful or persistent violations of the Michigan Occupational Health and Safety Act.
- iv. A violation of federal, local, or state civil rights, equal rights, or non-discrimination laws, rules, or regulations.
- v. Repeated or flagrant violations of laws related to the payment of wages and fringe benefits.

(f) the loss of a license or the right to do business or practice a profession, the loss or suspension of which indicates dishonesty, a lack of integrity, or a failure or refusal to perform in accordance with the ethical standards of the business or profession in question.

Bidder understands that the City reserves the right to accept any or all bids in whole or part and to waive irregularities in any bid in the best interest of the City. The bid will be evaluated and awarded on the basis of the best value to the City. The criteria used by the City may include, but will not be limited to: ability, qualifications, timeframe, experience, price, type and amount of equipment, accessories, options, insurance, permits, licenses, other pertinent factors and overall capability to meet the needs of the City. The City is sales tax exempt – Government.

Bidder agrees that the bid may not be withdrawn for a period of sixty (60) days from the actual date of the opening of the bid.

Pre-delivery Inspection: Successful bidder shall make a complete inspection of vehicle (and/or equipment) to ensure it meets specifications and perform any pre-delivery service(s) required before the vehicle is delivered. Acceptance shall be subject to complete inspection and approval of the City.

MAKE AND MODEL OF VEHICLE BID: John Deere 1025R

TOTAL COST OF VEHICLE AND IMPLEMENTS: \$ 29,216.93

Submitted by: Andrew Elmy
 Signature Sales
Andrew G. Elmy Manager
 Name and Title (Print)
231-267-9400 231-267-9405
 Phone Fax

Classic Farm Equipment
 Company Name
5858 Moore Rd
 Company Address
Williamsburg, MI 49690
 City, State, Zip

Sole proprietorship/partnership/corporation

If corporation, state of corporation



JOHN DEERE

Quote Id: 10731737

**ALL PURCHASE ORDERS MUST BE MADE OUT
TO (VENDOR):**

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

**ALL PURCHASE ORDERS MUST BE SENT
TO DELIVERING DEALER:**

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Prepared For:

Public Service Garage

Proposal For:

Delivering Dealer:

Andy Elmy

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690

andy@classictc.com

Quote Prepared By:

Andy Elmy

andy@classictc.com

Date: 22 December 2014

Offer Expires: 21 January 2015

Confidential



ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Quote Summary

Prepared For:

Public Service Garage
625 Woodmere Ave
Traverse City, MI 49686
Business: 231-922-4900

Delivering Dealer:

Classic Farm Equipment
Andy Elmy
5858 Moore Road
Williamsburg, MI 49690
Phone: 231-267-9400
andy@classictc.com

Quote ID: 10731737
Created On: 22 December 2014
Last Modified On: 22 December 2014
Expiration Date: 21 January 2015

Equipment Summary	Selling Price	Qty	Extended
JOHN DEERE 1025R Sub-Compact Utility Tractor (18 PTO hp) Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment Price Effective Date: December 22, 2014	\$ 17,821.17 X	1 =	\$ 17,821.17
JOHN DEERE H120 Loader Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment Price Effective Date: December 22, 2014	\$ 2,867.24 X	1 =	\$ 2,867.24
JOHN DEERE 54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors) Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment Price Effective Date: December 22, 2014	\$ 3,293.12 X	1 =	\$ 3,293.12
JOHN DEERE 54D In. Mid-Mount Side Discharge Mower Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment Price Effective Date: December 22, 2014	\$ 1,532.60 X	1 =	\$ 1,532.60
JOHN DEERE 52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)	\$ 2,223.52 X	1 =	\$ 2,223.52

Salesperson : X _____

Accepted By : X _____



JOHN DEERE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

Price Effective Date: December 22, 2014

JOHN DEERE 54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)	\$ 578.92	X	1	=	\$ 578.92
---	-----------	---	---	---	-----------

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

Price Effective Date: December 22, 2014

Frontier AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier	\$ 900.36	X	1	=	\$ 900.36
---	-----------	---	---	---	-----------

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

Price Effective Date: December 22, 2014

Equipment Total	\$ 29,216.93
------------------------	---------------------

* Includes Fees and Non-contract items

Quote Summary

Equipment Total	\$ 29,216.93
Trade In	
SubTotal	\$ 29,216.93
Total	\$ 29,216.93
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 29,216.93

Salesperson : X _____

Accepted By : X _____



JOHN DEERE

Selling Equipment

Quote Id: 10731737

Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

JOHN DEERE 1025R Sub-Compact Utility Tractor (18 PTO hp)

Hours:

Stock Number:

Contract: 071B0200317_Agricultural, Grounds, and
Roadside Equipment

Selling Price *
\$ 17,821.17

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
0284LV	1025R Sub-Compact Utility Tractor (18 PTO hp)	1	\$ 13,561.00	17.00	\$ 2,305.37	\$ 11,255.63	\$ 11,255.63
Standard Options - Per Unit							
0409	English North American Operator's Manual and Decal Kit	1	\$ 0.00	17.00	\$ 0.00	\$ 0.00	\$ 0.00
5203	26x12-12 (4PR, R3 Turf, 1 Position)	1	\$ -48.00	17.00	\$ -8.16	\$ -39.84	\$ -39.84
6203	18x8.50-10 (4PR, R3 Turf, 1 Position)	1	\$ -32.00	17.00	\$ -5.44	\$ -26.56	\$ -26.56
Standard Options Total			\$ -80.00		\$ -13.60	\$ -66.40	\$ -66.40
Dealer Attachments/Non-Contract/Open Market							
AM134805	Engine Block Heater Adapter	1	\$ 85.76	17.00	\$ 14.58	\$ 71.18	\$ 71.18
BM17972	50 Lb. Cast Iron Wheel Weight (1)	2	\$ 133.76	17.00	\$ 22.74	\$ 111.02	\$ 222.04
BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	2	\$ 21.40	17.00	\$ 3.64	\$ 17.76	\$ 35.52
1JD1023A S	CURTIS CAB	1	\$ 3,952.00	10.00	\$ 395.20	\$ 3,556.80	\$ 3,556.80
9PH20S50	HEATER	1	\$ 412.00	10.00	\$ 41.20	\$ 370.80	\$ 370.80
9LEDW4	WORK LIGHT KIT	2	\$ 230.00	10.00	\$ 23.00	\$ 207.00	\$ 414.00
9PWK85F	REAR WIPER KIT	1	\$ 240.00	10.00	\$ 24.00	\$ 216.00	\$ 216.00
9LEDS2	BEACON LIGHT	1	\$ 149.00	10.00	\$ 14.90	\$ 134.10	\$ 134.10
9pr1	RADIO	1	\$ 235.00	10.00	\$ 23.50	\$ 211.50	\$ 211.50
Dealer Attachments Total			\$ 5,458.92		\$ 562.76	\$ 4,896.16	\$ 5,231.94
Other Charges							



JOHN DEERE

Selling Equipment

Quote Id: 10731737 Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
	Freight	1	\$ 400.00			\$ 400.00	\$ 400.00
	Customer Setup	1	\$ 1,000.00			\$ 1,000.00	\$ 1,000.00
	Other Charges Total		\$ 1,400.00			\$ 1,400.00	\$ 1,400.00
Suggested Price							\$ 17,821.17
Total Selling Price			\$ 20,339.92		\$ 2,854.53	\$ 17,485.39	\$ 17,821.17

JOHN DEERE H120 Loader

Equipment Notes:

Hours:

Stock Number:

Selling Price *

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

\$ 2,867.24

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
1762P	H120 Loader	1	\$ 3,334.00	14.00	\$ 466.76	\$ 2,867.24	\$ 2,867.24
Standard Options - Per Unit							
0202	United States	1	\$ 0.00	14.00	\$ 0.00	\$ 0.00	\$ 0.00
0409	English	1	\$ 0.00	14.00	\$ 0.00	\$ 0.00	\$ 0.00
6995	Less Ballast Box	1	\$ 0.00	14.00	\$ 0.00	\$ 0.00	\$ 0.00
7020	John Deere CUT Carrier	1	\$ 0.00	14.00	\$ 0.00	\$ 0.00	\$ 0.00
8110	49 In. (1250 mm) Quick Change Materials Bucket	1	\$ 0.00	14.00	\$ 0.00	\$ 0.00	\$ 0.00
	Standard Options Total		\$ 0.00		\$ 0.00	\$ 0.00	\$ 0.00
Suggested Price							\$ 2,867.24
Total Selling Price			\$ 3,334.00		\$ 466.76	\$ 2,867.24	\$ 2,867.24

JOHN DEERE 54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500)



JOHN DEERE

Selling Equipment

Quote Id: 10731737

Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Equipment Notes:

Hours:

Stock Number:

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

Selling Price *

\$ 3,293.12

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
02C1M	54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)	1	\$ 2,550.00	18.00	\$ 459.00	\$ 2,091.00	\$ 2,091.00
Standard Options - Per Unit							
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	1	\$ 716.00	18.00	\$ 128.88	\$ 587.12	\$ 587.12
3012	2000 RPM Front PTO (1023E, 1025R, 1026R)	1	\$ 329.00	18.00	\$ 59.22	\$ 269.78	\$ 269.78
4006	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	1	\$ 421.00	18.00	\$ 75.78	\$ 345.22	\$ 345.22
Standard Options Total			\$ 1,466.00		\$ 263.88	\$ 1,202.12	\$ 1,202.12
Suggested Price							\$ 3,293.12
Total Selling Price			\$ 4,016.00		\$ 722.88	\$ 3,293.12	\$ 3,293.12

JOHN DEERE 54D In. Mid-Mount Side Discharge Mower



JOHN DEERE

Selling Equipment

Quote Id: 10731737 Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):
Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:
Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Equipment Notes:

Hours:

Stock Number:

Selling Price *

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

\$ 1,532.60

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
5310M	54D In. Mid-Mount Side Discharge Mower	1	\$ 1,940.00	21.00	\$ 407.40	\$ 1,532.60	\$ 1,532.60
Standard Options - Per Unit							
1000	Attaching Parts 1023E, 1025R, 1026R Tractors (Mechanical Mower Lift)	1	\$ 0.00	21.00	\$ 0.00	\$ 0.00	\$ 0.00
2000	Manual PTO Connection	1	\$ 0.00	21.00	\$ 0.00	\$ 0.00	\$ 0.00
Standard Options Total			\$ 0.00		\$ 0.00	\$ 0.00	\$ 0.00
Suggested Price						\$ 1,532.60	
Total Selling Price			\$ 1,940.00		\$ 407.40	\$ 1,532.60	\$ 1,532.60

JOHN DEERE 52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's,

Equipment Notes:

Hours:

Stock Number:

Selling Price *

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

\$ 2,223.52

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items



JOHN DEERE

Selling Equipment

Quote Id: 10731737 Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
3880M	52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)	1	\$ 2,185.00	18.00	\$ 393.30	\$ 1,791.70	\$ 1,791.70
Standard Options - Per Unit							
1010	Less Front Quick-Hitch	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
2001	Hydraulic Angling (1023E, 1025R, 1026R)	1	\$ 191.00	18.00	\$ 34.38	\$ 156.62	\$ 156.62
3010	Less 2000 RPM Front PTO	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
4000	Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	1	\$ 250.00	18.00	\$ 45.00	\$ 205.00	\$ 205.00
Standard Options Total			\$ 441.00		\$ 79.38	\$ 361.62	\$ 361.62
Dealer Attachments/Non-Contract/Open Market							
BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R)	1	\$ 85.61	18.00	\$ 15.41	\$ 70.20	\$ 70.20
Dealer Attachments Total			\$ 85.61		\$ 15.41	\$ 70.20	\$ 70.20
Suggested Price							\$ 2,223.52
Total Selling Price			\$ 2,711.61		\$ 488.09	\$ 2,223.52	\$ 2,223.52

JOHN DEERE 54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's,

Equipment Notes:

Hours:

Stock Number:

Selling Price *

Contract: 071B0200317_Agricultural, Grounds, and
Roadside Equipment

\$ 578.92

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items



JOHN DEERE

Selling Equipment

Quote Id: 10731737 Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
1491M	54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)	1	\$ 515.00	18.00	\$ 92.70	\$ 422.30	\$ 422.30
Standard Options - Per Unit							
1010	Less Front Quick-Hitch	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
2007	Hydraulic Angling (1023E, 1025R, 1026R)	1	\$ 191.00	18.00	\$ 34.38	\$ 156.62	\$ 156.62
Standard Options Total			\$ 191.00		\$ 34.38	\$ 156.62	\$ 156.62
Suggested Price							\$ 578.92
Total Selling Price			\$ 706.00		\$ 127.08	\$ 578.92	\$ 578.92

Frontier AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Equipment Notes:

Hours:

Stock Number:

Selling Price *

Contract: 071B0200317_Agricultural, Grounds, and Roadside Equipment

\$ 900.36

Price Effective Date: December 22, 2014

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
2153XF	AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier	1	\$ 1,098.00	18.00	\$ 197.64	\$ 900.36	\$ 900.36
Standard Options - Per Unit							
1000	42 In. Pallet Tine	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
Standard Options Total			\$ 0.00		\$ 0.00	\$ 0.00	\$ 0.00



JOHN DEERE

Selling Equipment

Quote Id: 10731737

Customer Name: PUBLIC SERVICE GARAGE

ALL PURCHASE ORDERS MUST BE MADE OUT

TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT

TO DELIVERING DEALER:

Classic Farm Equipment
5858 Moore Road
Williamsburg, MI 49690
231-267-9400
andy@classictc.com

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
Suggested Price							\$ 900.36
Total Selling Price			\$ 1,098.00		\$ 197.64	\$ 900.36	\$ 900.36