

City of Traverse City
Medical Marihuana Facility Zoning

Any proposed medical marihuana facility shall not be within a 1,000 foot radius of any school; for those facilities that are located within a building with multiple suites or separate storefronts, the actual "suite" or storefront where the facility is located shall not be within such radius, provided that each suite/storefront is separated entirely from the other suites/storefronts in the building.

Grower

I	Industrial District

Processor

I	Industrial District

Provisioning Center

C-2	Neighborhood Center District
C-3	Community Center District
I	Industrial District
H-1	Hospital District
H-2	Hospital District
D-1	Development District
D-2	Development District
D-3	Development District
HR	Hotel Resort District
MU	Mixed Use PUD

Secure Transporter

I	Industrial District

Safety Compliance Facility

H-1	Hospital District
H-2	Hospital District
I	Industrial District

School Property Buffer

1000 ft Buffer

City of TRAVERSE CITY GEOGRAPHIC INFORMATION SYSTEMS

0 1,000 2,000 Feet

4/9/2019 GWS

This map is based on digital databases from the City of Traverse City. Traverse City cannot accept any responsibility for errors, omissions or positional accuracy. There are no warranties expressed or implied.

Z:\GIS\Planning\Medical Marijuana Dispensaries\2018\MedicalMarihuanaZoningMap_UpdateDec2018.mxd